

Soluciones Coplanares en Cubiertas

ECFO

AI SS



Con Perfil R-1000

CARACTERÍSTICAS

Sistema para fijación a correas metálicas

Perfilería y accesorios de Aluminio EN AW 6005A T6 (según Eurocódigo 9)

Fijación con tornillos autoroscantes. Acero Inox (bicomponente)



Tornillería de Acero Inox AISI 304 (según UNE-EN 10088-1: 2015)

Sistema de estanqueidad con arandela EPDM y lámina EPDM

Fijación diseñada para facilitar la evacuación de agua y para la disminución de residuos

Garantía mínima de 10 años




VANOS Y VUELOS (PERFIL R-1000)


Vanos recomendados: 1,80-2,20m. Vano máximo puntual hasta 2,40m. (Consultar con MF Renovables)

Vuelo recomendado: 0,40-0,60m. Vuelo máximo puntual hasta 0,70. (Consultar con MF Renovables)

Perfil ensayado y válido según norma armonizada EN 15088:2005



PERFIL R-1000



REFERENCIA

ECFO

DESCRIPCIÓN

Estructura Coplanar fijación Omega a Correas

CARACTERÍSTICAS

Solución Coplanar por tramo
Altura libre de 60mm
Perfil R-1000
Sistema Modular

✉ mfrenovables@mfrenovables.com

☎ 924 290 111


🌐 www.mfrenovables.com

📍 C/ Pedregales, nº16 | 06400 - Don Benito (Badajoz)



Soluciones Coplanares en Cubiertas

ECFO



Sistema de fijación final de módulos FV

Sistema de fijación intermedia de módulos FV

Perfiles válidos y ensayados según norma armonizada EN 15088:2005

STANDARD CODES	STANDARD TITLES
EN 1990	Eurocode: Basis of structural design
EN 1991-1-4	Eurocode 1: Actions on structures. Part 1-4: General actions- Wind actions
EN 1991-1-3	Eurocode 1: Actions on structures. Part 1-3: Snow loads
EN 1991-1-6	Eurocode 1: Actions on structures. Part 1-6: Actions during execution
EN 1993-1-3	Eurocode 3: Design of steel structures. General rules. Supplementary rules for cold-formed members and sheeting
EN 1993-1-5	Eurocode 3: Design of steel structures. Plated structural elements
EN 1993-1-8	Eurocode 3: Design of steel structures. Design of joints
EN 1993-1-9	Eurocode 3: Design of steel structures. Fatigue
EN 1993-1-10	Eurocode 3: Design of steel structures. Material toughness and through-thickness properties
EN 1993-5	Eurocode 3: Design of steel structures. Piling
EN 1997-1	Eurocode 7: Geotechnical design. General rule
EN 1997-2	Eurocode 7: Geotechnical design. Ground investigation and testing
EN 1998-1	Eurocode 8: Design of structures for earthquake resistance. General rules, seismic actions and rules for buildings
EN 1999-1-1	Eurocode 9: Design of aluminum structures-Part 1-1: General structural rules
EN ISO 14713-1	Zinc coatings- Guidelines and recommendations for the protection against corrosion of iron and steel in structures- Part 1: General principles of design and corrosion resistance
UL 2703	Standard for Mounting Systems, Mounting Devices, Clamping/Retention Devices, and Ground Lugs for Use with Flat-Plate Photovoltaic Modules and Panels
UL 3703	Standard for Solar Trackers
IEC 62727	Photovoltaic systems- Specification for solar trackers
IEC 62817	Photovoltaic systems- Design qualification of solar trackers
ISO 13849	Safety of machinery- Safety related parts of control systems

PERFIL R-1000



CE n° 2375/CPR/21/1014

✉ mfrenewables@mfrenewables.com

☎ 924 290 111

🌐 www.mfrenewables.com

📍 C/ Pedregales, nº16 | 06400 - Don Benito (Badajoz)



Soluciones Coplanares en Cubiertas

ECFO

AI SS



Con Perfil R-1014

CARACTERÍSTICAS

Sistema para fijación a correas metálicas

Perfilería y accesorios de Aluminio EN AW 6005A T6 (según Eurocódigo 9)

Fijación con tornillos autoroscantes. Acero Inox (bicomponente)

Tornillería de Acero Inox AISI 304 (según UNE-EN 10088-1: 2015)

Sistema de estanqueidad con arandela EPDM y lámina EPDM

Fijación diseñada para facilitar la evacuación de agua y para la disminución de residuos

Garantía mínima de 10 años




VANOS Y VUELOS (PERFIL R-1014)

Vanos recomendados: 1,30-1,70m. Vano máximo puntual hasta 2,00m. (Consultar con MF Renovables)

Vuelo recomendado: 0,30-0,60m. Vuelo máximo puntual hasta 0,70. (Consultar con MF Renovables)

Perfil ensayado y válido según norma armonizada EN 15088:2005



PERFIL R-1014



REFERENCIA

ECFO

DESCRIPCIÓN

Estructura Coplanar fijación Omega a Correas


CARACTERÍSTICAS

Solución Coplanar por tramo
Altura libre de 60mm
Perfil R-1014
Sistema Modular



Soluciones Coplanares en Cubiertas

ECFO



Sistema de fijación final de módulos FV

Sistema de fijación intermedia de módulos FV

Pieza R-2007



Perfiles válidos y ensayados según norma armonizada EN 15088:2005

STANDARD CODES	STANDARD TITLES
EN 1990	Eurocode: Basis of structural design
EN 1991-1-4	Eurocode 1: Actions on structures. Part 1-4: General actions- Wind actions
EN 1991-1-3	Eurocode 1: Actions on structures. Part 1-3: Snow loads
EN 1991-1-6	Eurocode 1: Actions on structures. Part 1-6: Actions during execution
EN 1993-1-3	Eurocode 3: Design of steel structures. General rules. Supplementary rules for cold-formed members and sheeting
EN 1993-1-5	Eurocode 3: Design of steel structures. Plated structural elements
EN 1993-1-8	Eurocode 3: Design of steel structures. Design of joints
EN 1993-1-9	Eurocode 3: Design of steel structures. Fatigue
EN 1993-1-10	Eurocode 3: Design of steel structures. Material toughness and through-thickness properties
EN 1993-5	Eurocode 3: Design of steel structures. Piling
EN 1997-1	Eurocode 7: Geotechnical design. General rule
EN 1997-2	Eurocode 7: Geotechnical design. Ground investigation and testing
EN 1998-1	Eurocode 8: Design of structures for earthquake resistance. General rules, seismic actions and rules for buildings
EN_1999-1-1	Eurocode 9: Design of aluminum structures-Part 1-1: General structural rules
EN ISO 14713-1	Zinc coatings- Guidelines and recommendations for the protection against corrosion of iron and steel in structures- Part 1: General principles of design and corrosion resistance
UL 2703	Standard for Mounting Systems, Mounting Devices, Clamping/Retention Devices, and Ground Lugs for Use with Flat-Plate Photovoltaic Modules and Panels
UL 3703	Standard for Solar Trackers
IEC 62727	Photovoltaic systems- Specification for solar trackers
IEC 62817	Photovoltaic systems- Design qualification of solar trackers
ISO 13849	Safety of machinery- Safety related parts of control systems

PERFIL R-1014



CE n° 2375/CPR/21/1014

✉ mfrenovables@mfrenovables.com

☎ 924 290 111

🌐 www.mfrenovables.com

📍 C/ Pedregales, n°16 | 06400 - Don Benito (Badajoz)

